

HIAVA ENTERPRISES

Manufacturer of LED Pool Light,
Swimming Pool Lighting, and
LED Underwater Light.

Jay Vijay Industrial Estate
Co-op. Soc. Ltd. Building No. 3,
Gala No. 224, Bapane, Naigaon E,
Palghar 401208, Maharashtra.
Ph: +91 77158 05264



PRODUCT CATALOGUE

Since 2006, 'Akash Enterprises' manufactures LED Light, Garden Light, LED Floodlight, LED Focus Light, LED Fountain Light and much more. All our products are getting widely acclaimed among the large clientele for their exclusive designs, superior quality, and reliability.

PRODUCT RANGE BY **AKASH ENTERPRISES**

Jay Vijay Industrial Estate
Co-op. Soc. Ltd. Building No. 3,
Gala No. 224, Bapane, Naigaon E,
Palghar 401208, Maharashtra.
Ph: +91 77158 05264

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 6" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embossed box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 9" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 7" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC


Size:

OD: 5" inch ; Thickness: 30mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 5" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

18watt 12volts DC

Size:

OD: 4" inch ; Thickness: 30mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

12watt 12volts DC

Size:

OD: 3" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

18watt 12volts DC

Size:

OD: 4" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

36watt 12volts DC

Size:

OD: 5" inch ; Thickness: 30mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 3" inch ; Thickness: 30mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 3" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

ABS Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 4" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

ABS Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

18watt 12volts DC

Size:

OD: 6" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

ABS Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 4" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embossed box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

ABS Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 9" inch ; Thickness: 30mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

ABS and Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 6" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embossed box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

12watt 12volts DC

Size:

OD: 3" inch ; Thickness: 30mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

ABS Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

36watt 12volts DC

Size:

OD: 9" inch ; Thickness: 40mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 9" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

ABS and Steel Body Swimming Pool Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

18watt 12volts DC

Size:

OD: 5" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embossed box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 5" inch ; Thickness: 100mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

18watt 12volts DC

Size:

OD: 5" inch ; Thickness: 100mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 3" inch ; Thickness: 100mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 3" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 5" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

18watt 12volts DC

Size:

OD: 4" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 5" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 3" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 3" inch ; Thickness: 100mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light Inground



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

18watt 12volts DC

Size:

OD: 5" inch ; Thickness: 60mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light Inground



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC


Size:

OD: 6" inch ; Thickness: 60mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak 1m
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light Inground



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 6" inch ; Thickness: 60mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light Inground



SPECIFICATION

Colours:
Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:
3watt 12volts DC

Size:
OD: 1” inch ; Thickness: 60mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Swimming Pool Light Inground



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

3watt 12volts DC

Size:

OD: 1" inch ; Thickness: 60mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Ring Light Nozzle Mountain



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 5" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Ring Light Nozzle Mountain



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

27watt 12volts DC

Size:

OD: 6" inch ; Thickness: 50mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Ring Light Nozzle Mountain



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 5" inch ; Thickness: 25mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

9watt 12volts DC

Size:

OD: 3" inch ; Thickness: 100mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

18watt 12volts DC

Size:

OD: 5" inch ; Thickness: 100mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.

Full Steel Body Fountion Stand Light



SPECIFICATION

Colours:

Warm White, Cool White,
RGB Blue Colour, All Colours
Available.

Watt:

24watt 12volts DC

Size:

OD: 5" inch ; Thickness: 100mm

FEATURES

- Source: hi-power LED, bright and uniform light.
- ROHS materials compliant, environment friendly.
- Opto LED Symbiosis for peak lm
- 304 # stainless steel.
- IP68, 100% waterproof.
- Tempered Glass, Durable Cable.
- With embered box and screw for easy installation.
- CE, ROHS approved.
- Warranty: 2 years.